



BENIF

2019
-
2020

LG Hausys HEADQUARTER One IFC 10 Gukjegeumyung-ro, Yeouido-Dong, Yeongdeungpo-Gu, Seoul, 150-876, Korea Tel +82-2-6930-0965 Fax +82-2-6930-0901

GLOBAL NETWORK

LG Hausys America, Inc. - ATLANTA

900 Circle 75 Pkwy Suite#1500, Atlanta, USA. GA 30339
TEL : 1-678-535-4117

LG Hausys Trading Co. Ltd. - SHANGHAI

19F Magnolia Plaza No.777 Hongqiao Road, Xuhui District, Shanghai, China, 200030
TEL : 86-21-5241-6600

LG Hausys Europe GMBH - FRANKFURT

Lyoner str 15, Atricom C6, D/60528 Frankfurt am main, Germany
TEL : 49-69-5830-29420

LG Hausys Russia, LLC. - MOSCOW

Lesnaya Plaza, 8th Floor; 4, 4th Lesnoy Pereulok, Moscow, 125047, Russia
TEL : 7-495-663-3958

LG Hausys India Private Ltd. - GURGAON

Plot #11 Sector 44 Gurgaon Haryana – 122001, India
TEL : 91-124-421-2590

LG Hausys, Ltd. TAIPEI OFFICE - TAIPEI

2F, NO. 89, Sec. 2, Tiding Ave., Taipei 11493, Taiwan
TEL : 886-2-2658-6370

LG Hausys, Ltd. ISTANBULOFFICE - ISTANBUL

Büyükdere cad. Maslak Nurol Plaza No : 255A Blok 8.Kat 34398 Maslak, Istanbul, Turkey
TEL : 90-212-285-1101

LG Hausys, Ltd. TOKYO OFFICE - TOKYO

Kyobashi Trust-Tower 14F, 2-1-3 Kyobashi, Chuo-ku, Tokyo, 104-0031, Japan
TEL : 81-3-5299-4537

LG Hausys, Ltd. JAKARTA OFFICE - JAKARTA

Tower One at The City Center (TCC) Batavia 18th Floor, Unit 2B KH. Mas. Mansyur Kav. 126, Kel. Karet Tengsin, Kec. Tanah Abang, Jakarta Pusat, 10220, Indonesia
TEL : 62-21-2967-5043

LG Hausys Middle East OFFICE - DUBAI

Dubai Internet City Building @3, Dubai, United Arab Emirates
TEL : 971-4-553-1452



Interior Film



LG Hausys



www.lghausys.com

BENIF



Interior Film



CONTENTS

INDEX	04
SOLID	14
PEARLITE	24
METAL	28
CLASSIC WOOD	32
BIG WOOD	44
PREMIUM WOOD	48
DESIGN WOOD	60
WOOD	64
BIG MARBLE	76
MARBLE / STONE	78
LEATHER	83
WOVEN	86
FABRIC	88
FANCY	90
OUTDOOR	91

LG Hausys Interior Film BENIF sample book usage tips

 : These are new colors for 2019 & 2020. Non-flameproof products of the new colors will launch in 2021.

() : No. () refers to the non-flameproof color code.

 : Please check the pattern of the finished product of 1,220 x 2,000mm for the corresponding color from the pattern book.

 : Please make sure to observe the installation instructions at the back of the sample book for the relevant color

INDEX

* Color name change : HS001 → ES130, HS002 → ES158, NC014 → NS002, NC015 → NS003

* All colors are applicable for vessels (Except GS/GM, LE, PL, WV)

[illegible]

CW88 (EW88)	73	CW466 (EW466)	72	CW614 (EW614)	73	DW630 N	61	ML62	82	LE003 N	85
CW90 (EW90)	69	CW469 (EW469)	72	CW615 (EW615)	67	DW631 N	61	ML63	82	LE004 N	85
CW111 (EW111)	71	CW506 (EW506)	65	CW616 (EW616)	65	DW632 N	61	ML64	82	LE005 N	85
CW124 (EW124)	69	CW509 (EW509)	66	CW617 (EW617)	72	FWES3 (EWES3)	72	ML65	81	LE006 N	85
CW141 (EW141)	68	CW510 (EW510)	74	CW618 (EW618)	65	SW001	75	ML66	81	PEARLITE	
CW142 (EW142)	68	CW511 (EW511)	64	CW619 (EW619)	74	SW002	75	ML67	80		
CW150 (EW150)	71	CW512 (EW512)	71	CW620 (EW620)	62	SW003	75	ML69	80		
CW151 (EW151)	67	CW513 (EW513)	71	CW621 (EW621)	62	SW004	75	ML70 N	78		
CW152 (EW152)	73	CW518 (EW518)	67	CW622 (EW622)	62	SW005	75	RM12	80		
CW153 (EW153)	72	CW519 (EW519)	70	CW623 (EW623)	62	SW006	75	RM13	81	PL001 N	26
CW154 (EW154)	69	CW521 (EW521)	64	CW624 (EW624)	74	BIG MARBLE		ELREINA		PL002 N	26
CW155 (EW155)	73	CW523 (EW523)	65	CW625 (EW625)	65					PL003 N	26
CW175 (EW175)	67	CW527 (EW527)	66	CW626 (EW626)	66					PL004 N	27
CW177 (EW177)	72	CW529 (EW529)	69	CW627 (EW627)	73					PL005 N	27
CW211 (EW211)	69	CW530 (EW530)	64	CW628 (EW628)	72	BM001 N	77	EL043	89	PL006 N	27
CW240 (EW240)	64	CW531 (EW531)	66	CWAC1 (EWAC1)	72	BM002 N	77	EL044	89	WOVEN	
CW258 (EW258)	68	CW533 (EW533)	67	CWB1 (EWB1)	69	BM003 N	77	EL049	89		
CW292 (EW292)	72	CW534 (EW534)	68	CWESA (EWESA)	74	BM004 N	77	EL051	89		
CW314 (EW314)	68	CW535 (EW535)	70	CWPF3 (EWPF3)	74	ABSTRACT		EL052	89	WV001 N	87
CW316 (EW316)	73	CW537 (EW537)	68	CWSH2 (EWSH2)	70			EL139	83	WV002 N	87
CW320 (EW320)	70	CW544 (EW544)	64	DW156 (EW156)	68			EL140	83	WV003 N	87
CW330 (EW330)	73	CW552 (EW552)	64	DW157 (EW157)	69			EL176	82	WV004 N	87
CW348 (EW348)	72	CW553 (EW553)	65	DW159 (EW159)	68	ML13	83	EL177	82	WV005 N	87
CW351 (EW351)	71	CW554 (EW554)	70	DW161 (EW161)	64	ML14	83	EL178	82	WV006 N	87
CW356 (EW356)	73	CW555 (EW555)	74	DW179 (EW179)	68	ML20	90	EL194	62	OUTDOOR	
CW358 (EW358)	67	CW556 (EW556)	74	DW180 (EW180)	69	ML22	90	EL215	81		
CW362 (EW362)	71	CW557 (EW557)	66	DW182 (EW182)	65	ML23	81	EL235	89		
CW364 (EW364)	71	CW575 (EW575)	65	DW190 (EW190)	72	ML24	81	EL239 N	83		
CW370 (EW370)	72	CW579 (EW579)	71	DW195 (EW195)	69	ML25	81	EV079	63	UM001	92
CW384 (EW384)	72	CW582 (EW582)	70	DW207 (EW207)	66	ML31	83	EV080	63	UM002	92
CW390 (EW390)	74	CW588 (EW588)	69	DW307 (EW307)	70	ML42	81	EV083	90	UP001	92
CW404 (EW404)	62	CW590 (EW590)	68	DW308 (EW308)	68	ML44	88	EV118	63	UP002	92
CW407 (EW407)	74	CW597 (EW597)	65	DW350 (EW350)	69	ML45	88	NATURE STONE		UP003	92
CW408 (EW408)	74	CW598 (EW598)	68	DW371 (EW371)	72	ML46	88			US001	91
CW424 (EW424)	64	CW599 (EW599)	70	DW388 (EW388)	74	ML47	88			US002	91
CW427 (EW427)	68	CW600 (EW600)	65	DW398 (EW398)	68	ML48	88			US003	91
CW431 (EW431)	74	CW601 (EW601)	67	DW400 (EW400)	62	ML49	89	NS001 N	79	US004	91
CW437 (EW437)	64	CW602 (EW602)	70	DW406 (EW406)	65	ML51	89	NS002 N *	80	US005	91
CW438 (EW438)	66	CW603 (EW603)	65	DW456 (EW456)	74	ML55	80	NS003 N *	80	LEATHER	
CW441 (EW441)	71	CW604 (EW604)	65	DW467 (EW467)	74	ML56	81				
CW442 (EW442)	69	CW605 (EW605)	68	DW548 (EW548)	66	ML57	81				
CW453 (EW453)	66	CW606 (EW606)	65	DW549 (EW549)	67	ML58	81				
CW454 (EW454)	71	CW609 (EW609)	71	DW550 (EW550)	71	ML59	82				
CW455 (EW455)	69	CW611 (EW611)	74	DW576 (EW576)	67	ML60	82	LE001 N	85		
CW459 (EW459)	62	CW612 (EW612)	62	DW629 N	60	ML61	82	LE002 N	85		

HEALTHIER, MORE PLEASANT, AND SAFER FROM FIRE



ECO-Friendly & Fire Safety

ECO-Friendly



LG Hausys Interior Film BENIF was developed with components satisfying the environment-friendly standards for various raw materials and adhesives, and transformed into a real eco-friendly product which meets the standards of public offices, schools, daycare centers as well as health-friendly homebuilding by achieving eco labels by types.



Eco Label



Indoor Air Quality

Eco Label

※ Some colors do not have an environment mark and environmental certificates are different for each product series, so please confirm the product name on the certificate and the environment mark on the packing box.

Volatile Organic Compounds	Commercial: Below 0.20 mg/m ³ .h Residential: Below 0.10 mg/m ³ .h
toluene	Below 0.080 mg/m ³ .h
formaldehyde	Below 0.015 mg/m ³ .h
lead, cadmium, mercury, hexavalent chrome	Below 1,000 mg/kg
lead	Below 600 mg/kg

Special Act on the Safety Management of Children's Product

Total phthalate plasticizer content
(FITI Testing & Research Institute)

Below 0.1%
(DEHP, DBP, BBP, DINP, DIDP, DNOP)

Antibacterial Performance (NW only)

Staphylococcus aureus and E.coli
exposure test result
(FITI Testing & Research Institute)

In case of bacterial count under 0.63 after 24
hours, antibacterial activity is 99.9%
(JIS Z 2801: 2010, film contact method)

Fire Safety



LG Hausys Interior Film BENIF is the product which was produced under the close quality control of LG Hausys and passed the strict flame proof testing of Korea Fire Institute. Also, the achievement of vessel material certification of Korean Register of Shipping by carrying out a performance test of vessel apparatus of KOMERI (Korea Marine Equipment Research Institute) proves its safety to be applicable for domestic and overseas vessels. (except GS, GM, LE, PL, and WV colors)



Korea Fire
Institute



Korean Register
of Shipping

Flame-resistant certification	carbonization area under 30㎠	carbonization length under 20㎢	remaining flame time under 3sec	Afterglow time under 5sec	Smoke Density under 200
-------------------------------	------------------------------	--------------------------------	---------------------------------	---------------------------	-------------------------

Classification standards

				smoke concentration	
				CO(mg/kg)	≤1,450
				HBr(mg/kg)	≤600
				HCL(mg/kg)	≤600
				HCN(mg/kg)	≤140
				HF(mg/kg)	≤600
				NO _x	NO(mg/kg) ≤350 NO ₂ (mg/kg) ≤350
				SO ₂ (mg/kg)	≤120
				SO ₂ (mg/kg) floor decoration	≤200
Item	partition wall, wall and ceiling materials	floor materials	deck materials	plastic pipe	
Dm	≤200	≤500	≤400	≤400	
CFE(kW/m ²)	≥20.0	≥7.0	≥7.0		
Qsb(MJ/m ²)	≥1.5	≥0.25	≥0.25		
Qt(MJ)	≤0.7	≤2.0	≤2.0		
Qp(kW)	≤4.0	≤10.0	≤10.0		
flame drop	no occurrence	below 10	no occurrence		

* Dm : the average value of maximum smoke density /
CFE : critical heat flux at extinguishment / Qsb : average continued
heat of combustion / Qt : total heat release / Qp : maximum heat release rate

◆ Commercial Interior ◆

LG Hausys Interior Film BENIF creates trendy space for various commercial spaces.

INTERIOR PROPOSALS

COMMERCIAL




Showroom

LG Hausys Interior Film can be easily applied to stores in any shape. Create a space highlighting products with warm wood film which is completely attached to soft curved surface.



1. RS124



2. RS56




3. NW105



Cafe

Select unique patterns and colors for trendy and characterful space including a cafe. Combination of somber brown-toned metal of a bar table and rough texture of walls offers more modern and luxury ambience.



1. EL177



2. RS127



3. RP45




Hotel

Interior Film products with reliable flame proof function are essential particularly for accommodations including hotels. The balance of film which looks like coated in dark blue paint and metal texture creates fashionable lifestyle hotel space.



1. EL178



2. RP06



3. CW622




Lobby


Apply classy wood patterns and natural stone products to the large area. It presents the grandeur and naturalness to the space.



1. BM003



2. BM004



3. BW003

◆ Residential Interior ◆

Based on the customer big data analysis of interior design for residential space, four most preferred styles and matching products are suggested. Create stylish space with LG Hausys trendy Interior Films and various materials.



Interior Film / Premium Wood
NW104

Interior Marble / Hi-Macs Granite
Urban Concrete G554

Flooring / House
Oceanus Cool Gray HTO0052-A3

Wallcovering / Bestie
Modern Boutique/ Gray White 82461-1

Windows and doors / Super Save5
Pure White WAP97-G9

Vintage / Kitchen

Decorate like a cafe with vintage wood film.

According to the analysis of LG Hausys big data, the hottest trend recently is a vintage style like cafes. The vintage style has a wide range of variations, for example, sometimes to be modern or retro, so creates unique space. Along with the comeback of red and dark wood trend, decorate cafes and other spaces easily with newly designed vintage film.

INTERIOR PROPOSALS

RESIDENTIAL



Interior Film / Solid
White RS130

Wallcovering / Bestie
Real Painting / White 82458-1

Interior Marble / Hi-Macs Marmo
Ispani M428

Flooring / House
Oceanus Warm Gray HTO0053-A3

The Inner Gate / Classic tri-fold style
Open-type white


Minimal / Living Room

Create minimalist space with solid film.

A storage space problem, the nuisance of small-and-medium sized apartment, can be solved by constructing a customized storage closet with various ideas. A simple storage closet, which even looks like a wall thanks to solid Interior Film finishing, is the best choice to express the minimal lifestyle.

INTERIOR PROPOSALS
RESIDENTIAL



				
Interior Film / Solid Light Pink RS90	Flooring / Gangreen Super Antique White GAGPAW-A2	Wallcovering / ZIA Fabric Clover / White T1052-1	Windows and doors / SuperSave5 Pure White WAP97-G9	Wallcovering / ZIA Fabric Painting / Middle gray T1059-7

Soft Modern / Bedroom

Decorate your powder room with colors.

A healing space you want to have one at home. Create a hotel style powder room with LG Hausys Interior Film provided in a variety of colors as an interior color. The harmony of a room with bold colors and patterns inside a mono-toned chic space makes space in modern style with a softer touch.

INTERIOR PROPOSALS
RESIDENTIAL



				
Interior Film / Solid RS144	Wallcovering / Bestie Cross Cotton / Greige 82455-3	Flooring / ZIA Flooring Real Natural Oak PLAGRHO-L2/R2	Flooring / House Oceanus Cool Gray HTO0025-A3	System Window / Folding Door A68P FD White

Planteria / Living Room

Coordinate nature-like films with plants.

For space to live with colorful pet plants, create minimalist space as if you are drawing freshness on the clean and blank canvas. A matte and neat concrete texture creates enough sense of space to embody nature. It can be applied to any space with high workability, so, the best choice for planterior.



More here
* 이 장을 펼쳐보세요.

SOLID

HIGH GLOSS / SOLID EMBOSS / SOLID


풍성한 솔리드 컬러 구성이 트렌디하고 감각적인
디자인과 세련된 공간 스타일은 연출합니다.
Rich solid color schemes create trendy and
sophisticated design as well as refined style of space.

SOLID




More here
* 이 장을 펼쳐보세요.

SOLID



HIGH GLOSS



SOLID


* 컬러명 변경 (Color name change) : HS002→ES158, HS001→ES130



SOLID EMBOSS



SOLID EMBOSS



PEARLITE

PL006

LOBBY / CONFERENCE ROOM

질석 Chip의 입체감과 펄의
고급감을 깊이 있게 연출하여
상업용 공간에 포인트로
어울리는 제품입니다.

Stereoscopic presentation of
solid vermiculite chips and
luxurious pearl is a good focal
point for commercial space.

※ 인쇄 색상은 실제 제품 색상과 차이가 있을 수 있습니다. / Print colors may differ from actual product colors.

PEARLITE



PL001

WARM WHITE



PL002

WARM BROWN



PL003

DARK BROWN



PL004

GRAY



PL005

COOL GRAY



PL006

DARK GRAY

METAL

은은하게 비춰지는 럭셔리한 메탈은 마치
이국적이며 화려한 고급 호텔에 머무는 느낌을 줍니다.

Soft reflection of luxury metal provides
feelings as if you are staying in an exotic
and fancy first-class hotel.

MP004

RP03

N
신패턴
New

()
비방염 권터번호
Non-Flame retardant

패턴북
Pattern Book

!
시공유의
Installation Instructions



RP03



RP04



RP08



RP42



RP03



MS20



RP49



RP46

METAL



MS19



MS01



ME11




RP53



MP005




MP001



RP50




MP006




MP002



MP004




MP003



RP51



MS21



MS18



MS09



RP47




RP45




RP06



RP48



RP45



RP52



N

신패턴
New

()

비방염 권터번호
Non-Flame retardant

+

패턴북
Pattern Book

!

시공유의
Installation Instructions

CLASSIC WOOD


클래식 우드는 나뭇결의 부드러운 숨결을
감성이 닿는 그대로 자연스럽게 표현하였습니다.

Classic wood embodies gentle breath of
wood grain naturally as it feels.

PW118

STANDARD OAK

- 신매턴
New
- 비방염 판더번호
Non-Flame retardant
- 패턴북
Pattern Book
- 시공유의
Installation Instructions



PW116   STANDARD OAK




PW117   STANDARD OAK



PW118   STANDARD OAK

STANDARD OAK



PW119  4P

 STANDARD OAK



PW120  4P

 STANDARD OAK



PW121  4P

 STANDARD OAK



PW122  4P

 STANDARD OAK

 신매턴
New

 비방염 권터번호
Non-Flame retardant

 패턴북
Pattern Book

 시공유의
Installation Instructions



CLASSIC WOOD

PW113

SLAP OAK

- 신제품
New
- 비발연 권택번호
Non-Flame retardant
- 패턴북
Pattern Book
- 시공유의
Installation Instructions



PW113  

 SLAP OAK



PW114  

 SLAP OAK



PW115  

 SLAP OAK

CLASSIC WOOD



PW108

※ 인쇄 색상은 실제 제품 색상과 차이가 있을 수 있습니다. / Print colors may differ from actual product colors.

TEAK



PW105 N Q 4P



TEAK



PW106 N Q 4P



TEAK



PW107 N Q 4P



TEAK



PW108 N Q 4P



TEAK

CLASSIC WOOD

PW112

ASH

PW109

N Q 4P

ASH

PW110

N Q 4P

ASH

PW111

N Q 4P

ASH

PW112

N Q 4P

ASH

CLASSIC WOOD



OAK



PW101 N 4P OAK



PW102 N 4P OAK



PW103 N 4P OAK



PW104 N 4P OAK

BIG WOOD

DESIGN CONCEPT

BIG DESIGN MORE NATURAL

기존 제품 대비 1.5배 커진 단위무늬도
패턴의 반복성은 줄여 내츨한 느낌은 극대화 하였습니다.

Reduced repetition of patterns with 1.5 times
bigger unit pattern compared to existing products
maximizes the feeling of naturalness.



BW006 Q4P OAK



BIG WOOD

BW001 N +4P

ASH

BW002 4P

WALNUT

BW003   4P

WALNUT



신패턴
New

()
비방염 켄더번호
Non-Flame retardant

패턴북
Pattern Book시공유의
Installation InstructionsBW005   4P

DAK

BW006 4P

DAK

BW004 N + 4P

DAK

PREMIUM WOOD



NW111 N 9P ASH



NW107 N 9P TEAK



NW053 (NE053) 6P TEAK



NW110 N 9P TEAK



NW106 N 9P OAK



NW114 N 9P ASH



NW080 (NE080) 8P CASTAGNO CARDDUCI



NW099 (NE099) 9P WALNUT



NW113 N 9P ASH



NW097 (NE097) 8P TEAK



NW082 (NE082) 8P OAK



NW100 (NE100) 9P WALNUT

PREMIUM WOOD



NW086 (NE086) 8P OAK



NW101 (NE101) 9P WALNUT



NW092 (NE092) 8P LINE TEAK



NW109 (NE109) 9P TEAK



NW040 (NE040) 5P ASH



NW089 (NE089) 8P TEAK



NW084 (NE084) 8P OAK



NW095 (NE095) 8P VINTAGE OAK



NW015 (NE015) 5P OAK



NW068 (NE068) 7P PADOUK



NW098 (NE098) 8P TEAK



NW017 (NE017) 5P OAK



NW056 (NE056) 6P TEAK

PREMIUM WOOD



NW102 9P OAK



NW112 9P ASH




NW073 (NE073) 7P BIRCH



NW108 9P TEAK



NW032 (NE032) 5P OAK



NW057 (NE057) 6P OAK



NW041 (NE041) 5P WHITE OAK



NW071 (NE071) 7P MAPLE



NW038 (NE038) 5P ASH



PREMIUM WOOD



NW105  9P  OAK



NW085 (NE085) 8P  OAK



NW033 (NE033)  5P  OAK



NW083 (NE083) 8P  OAK



NW014 (NE014) 5P  OAK



NW062 (NE062)   WIZARD GRAIN



NW039 (NE039) 5P  ASH



NW078 (NE078) 7P  TEAK



NW072 (NE072) 7P  TEAK



NW070 (NE070) 7P  ASH

PREMIUM WOOD



NW006 (NE006) 5P AMAZAHOUÉ



NW011 (NE011) 5P ASH



NW043 (NE043) 5P WHITE OAK



NW042 (NE042) 5P WHITE OAK



NW034 (NE034) BEST 5P OAK




NW067 (NE067) 6P TEAK



NW088 (NE088) 8P TEAK



NW044 (NE044) 6P WALNUT



NW058 (NE058) 6P OAK



NW087 (NE087) 8P OAK




NW054 (NE054) 6P TEAK



NW031 (NE031) 5P ANTIQUE TEAK



NW007 (NE007) 5P AMAZAHOUÉ



NW060 (NE060) 6P WALNUT



NW046 (NE046) 6P WALNUT



NW008 (NE008) 5P AMAZAHOUÉ



NW096 (NE096) 8P VINTAGE OAK



NW079 (NE079) 7P CHERRY

PREMIUM WOOD



NW103 N 9P ■ OAK



NW045 (NE045) 6P ■ WALNUT



NW115 N 9P ■ MAHOGANY




NW059 (NE059) 6P ■ OAK



NW063 (NE063) 6P ■ TEAK



NW090 (NE090) 8P ■ TEAK



NW074 (NE074) 7P ■ ASH



NW081 (NE081) 8P ■ WALNUT CUBIC



NW055 (NE055) 6P ■ TEAK



NW104 N 9P ■ OAK

[CODY 제안]
Suggestions for interior coordination

NW037 (NE037) 5P ■ MERRAU

NW104

DESIGN WOOD

다양한 트렌드 변화 속에서
쉐브런 스타일의 우드 패턴을 적용함으로써
빈티지한 감성을 표현할 수 있습니다.

Application of a chevron wood pattern in various
changes in trend expresses vintage feeling.

DW629

DW629 N Q,21P CHEVRON PAINTED

DW631 DW632 N Q,21P STRIPE WHITE DW630 N Q,21P CHEVRON WHITE DW631 N Q,21P CHEVRON GRAY

DESIGN WOOD



CW621 (EW621) ④ ANTIQUE PAINTED WOOD



CW459 (EW459) ④ 14P THINWIN



CW620 (EW620) ④ 18P PAINTED WOOD



EL194 ④ 23P ! STYLE BAMBOO (IVORY)



CW622 (EW622) ④ ANTIQUE PAINTED WOOD



CW623 (EW623) ④ ANTIQUE PAINTED WOOD



CW612 (EW612) ④ 17P SCRAP WOOD




DW400 (EW400) ④ 20P ANTIQUE PINE




CW404 (EW404) ④ 13P SLICE WOOD



EV079 ④ 23P ! LUXURY WOOD




EV080 ④ 23P ! LUXURY WOOD



EV118 ④ 23P ! SMOKY WOOD




WOOD



CW511 (EW511) BEST 14P ELM




CW437 (EW437) 14P CHERRY



CW521 (EW521) 15P PINE



CW552 (EW552) 15P BIRCH



CW424 (EW424) 13P OLIVE LINE



CW530 (EW530) 15P ASH



CW544 (EW544) 15P ROSE WOOD



CW240 (EW240) 11P ELM



DW161 (EW161) 19P OAK



CW600



신패턴
New



비방염 권터번호
Non-Flame retardant



패턴북
Pattern Book



시공유의
Installation Instructions



DW406 (EW406) 13P WIZARD GRAIN



CW606 (EW606) 17P ELM




CW575 (EW575) 16P ASH



CW616 (EW616) 17P ELM



CW597 (EW597) 16P OAK



CW553 (EW553) 15P BIRCH



CW600 (EW600) 16P ASH



CW618 (EW618) 17P WASHED OAK



CW625 (EW625) 18P ASH



CW523 (EW523) 15P PINE



DW182 (EW182) 19P TEAK




CW603 (EW603) 16P OAK



CW01 (EW01) 9P ELM



CW604 (EW604) 16P WASHED OAK



CW506 (EW506) 14P TEAK


WOOD



CW438 (EW438) 14P CHERRY



CW527 (EW527) 15P MAPLE



CW626 (EW626) 18P OAK



CW453 (EW453) 14P NOCE



DW548 (EW548) 20P OAK



CW509 (EW509) 14P ELM



CW531 (EW531) 15P ASH



DW207 (EW207) 20P TEAK



CW557 (EW557) 16P OAK



CW533 (EW533) 12P OAK



CW615 (EW615) 17P OAK



CW175 (EW175) 11P OAK



DW549 (EW549) 20P OAK




CW358 (EW358) CASTAGNO CARDUCCI




DW576 (EW576) 16P ASH



CW518 (EW518) 15P ASH



CW151 (EW151) 11P OAK



CW601 (EW601) 16P ASH

WOOD



CW537 (EW537) BEST 15P BIRCH




CW598 (EW598) BEST 16P OAK



CW605 (EW605) 17P WASHED OAK



CW258 (EW258) BEST 11P OAK



DW308 (EW308) BEST 20P OAK




CW590 (EW590) 15P BIRCH



CW142 (EW142) 10P MAPLE



DW156 (EW156) 19P MAPLE



DW159 (EW159) 19P OAK




DW179 (EW179) BEST 19P TEAK



CW141 (EW141) BEST 10P MAPLE




DW398 (EW398) 20P GREEN PINE



CW427 (EW427) 13P NOCE



CW534 (EW534) 12P OAK



CW314 (EW314) 11P ASH




CW79 (EW79) 10P MAPLE



DW157 (EW157) 19P MAPLE



CW90 (EW90) 10P SYCAMORE




DW195 (EW195) 20P TEAK



CW57 (EW57) 10P OAK




CW455 (EW455) 14P NOCE




CW588 (EW588) 12P WALNUT




CW154 (EW154) 11P TEAK




DW180 (EW180) 19P TEAK




CW124 (EW124) 10P CHERRY




DW350 (EW350) 12P ANEGRE



CW529 (EW529) 15P MAPLE



CW211 (EW211) 11P ASH



CW442 (EW442) 14P BAMBOO



CWB1 (EWB1) 19P CHERRY

N
신패턴
New

()
비방염 권터번호
Non-Flame retardant


+
패턴북
Pattern Book

!
시공유의
Installation Instructions


WOOD



CW599 (EW599) 16P OAK



CW602 (EW602) 16P ASH



DW307 (EW307) 20P OAK




CW519 (EW519) 15P BEST ASH




CWSH2 (EWSH2) 19P OAK




CW535 (EW535) 12P OAK




CW554 (EW554) 15P BIRCH



CW582 (EW582) 16P TEAK




CW320 (EW320) 12P ZEBRANO




CW609 (EW609) 13P WALNUT



CW512 (EW512) 15P TEAK




CW441 (EW441) 14P BAMBOO




DW550 (EW550) 20P BEST OAK




CW454 (EW454) 14P NOCE




CW579 (EW579) 16P BAO




CW513 (EW513) 15P TEAK




CW150 (EW150) 11P TEAK




CW111 (EW111) 10P CHERRY




CW69 (EW69) 10P CHERRY



CW351 (EW351) 12P ANEGRE



CW362 (EW362) 12P ROSE WOOD




CW364 (EW364) 12P ROSE WOOD


WOOD




CW292 (EW292) ④ 11P  OAK




CWAC1 (EWAC1) ④ 12P  OAK



CW469 (EW469) ④ 14P  PADOUK




DW190 (EW190)  ④ 19P  TEAK




CW466 (EW466) ④ 14P  WALNUT




CW370 (EW370) ④ 13P  TEAK




CW617 (EW617) ④ 17P  TEAK



CW177 (EW177) ④ 11P  TEAK




CW153 (EW153) ④ 11P  TEAK




DW371 (EW371) ④ 13P  TEAK




CW384 (EW384) ④ 13P  TEAK




FWES3 (EWES3) ④ 13P  WALNUT



CW44 (EW44) ④ 9P  ANEGRE



CW628 (EW628) ④ 18P  CHERRY



CW348 (EW348) ④ 12P  ROSE WOOD

N

신패턴
New

()


비방염 권터번호
Non-Flame retardant

+

패턴북
Pattern Book

!


시공유의
Installation Instructions




CW316 (EW316) ④ 11P  ASH




CW152 (EW152) ④ 11P  WALNUT




CW88 (EW88) ④ 10P  CHERRY




CW87 (EW87) ④ 10P  WALNUT




CW356 (EW356) ④ 12P  COCONUT




CW330 (EW330) ④ 12P  OAK



CW155 (EW155) ④ 11P  TEAK



CW614 (EW614) ④ 17P  EBONY



CW627 (EW627) ④ 18P  TEAK


WOOD




CW611 (EW611) BEST 15P ASH




CW619 (EW619) 18P OAK



CWPF3 (EWPF3) 11P OAK




CW431 (EW431) 13P WALNUT




DW467 (EW467) 14P WALNUT




CW390 (EW390) 13P WALNUT




DW388 (EW388) 20P TEAK



CW555 (EW555) 15P BIRCH




DW456 (EW456) 20P TEAK




CWESA (EWESA) 19P DARK ASH




CW556 (EW556) 16P OAK




CW510 (EW510) 14P ELM



CW407 (EW407) 13P WIZARD GRAIN



CW408 (EW408) 13P WIZARD GRAIN




CW624 (EW624) 18P OAK



SW001 21P ! ASH



SW002 21P ! ASH




SW003 21P ! ASH



SW004 21P ! OAK



SW005 21P ! OAK



SW006 21P ! OAK

BIG MARBLE

마블을 빅사이즈로 구현한 제품으로,
웅장함과 감각적인 공간을 연출해 보세요.

Create magnificent and stylish space
with big size marble products.

BM003



신패턴
New



비방염 권터번호
Non-Flame retardant



패턴북
Pattern Book



시공유의
Installation Instructions



BM001 Q21P

LIGHT MARBLING




BM002 Q21P

MARBLING



BM003 Q21P

GRAY MARBLE



BM004 Q21P

DARK GRAY MARBLE


MARBLE / STONE



ML70 **N** 23P  CHEVRON MARBLE



NW104, NS001



NS001 **N** 23P  CHEVRON BRICK

MARBLE / STONE

* 컬러명 변경 (Color name change) : NC014 → NS002, NC015 → NS003



ML55 22P ANTIQUE BRICKS (WHITE)



ML67 22P BIANCO CARRARA (WHITE)



ML69 22P BIANCO CARRARA (DEEP SPACE)



RM12 22P MARBLE



NS002 23P ★ CONCRETE (WARM GRAY)



NS003 23P ★ CONCRETE (DARK GRAY)



ML56 22P TRAVERTINE (WHITE)




ML23 22P STONE



RM13 22P MARBLE



ML25 22P STONE



ML24 22P STONE




ML58 22P TRAVERTINE (DARK GRAY)




ML42 22P PLASTERED WALL (GRAY BEIGE)



ML57 22P TRAVERTINE (WARM GRAY)



ML65 LIME STONE (WARM GRAY)



ML66 LIME STONE (DEEP PURPLE)



EL215 ! NATURAL STONE (DARK GRAY)

MARBLE / STONE



ML59 REAL CONCRETE (LIGHT GRAY)



ML60 REAL CONCRETE (WARM GRAY)



ML61 REAL CONCRETE (DARK GRAY)



EL178 Q 23P SOLID CONCRETE (BEIGE)




ML177 BEST Q SOLID CONCRETE (GRAY)



EL176 Q SOLID CONCRETE (DARK GRAY)



ML63 Q PLASTERED WALL BRUSH (COUGAR BROWN)



ML62 Q PLASTERED WALL BRUSH (LIGHT GRAY)



ML64 Q PLASTERED WALL BRUSH (COOL GRAY)

LEATHER




EL239 N Q 23P CALF (PATTERN)



EL139 ! CALF (BEIGE)



EL140 ! CALF (CAMEL)



ML31 WARM BEIGE



ML13 MIDDLE BROWN



ML14 DARK BROWN

LEATHER

고급스러운 레더의 포근하고 부드러운 느낌과
트렌디한 컬러를 더하면 개성 만점 포인트 가구와
어울리는 새로운 공간을 연출합니다.

Combination of warm and soft feeling of luxury
leather and trendy colors creates a new space that
matches well with unique and distinctive furniture.

LE005



신패턴
New




비방염 권터번호
Non-Flame retardant



패턴북
Pattern Book



시공유의
Installation Instructions



LE001 **N** !



IVORY



LE002 **N** !



LIGHT GRAY



LE003 **N** !




WARM BEIGE



LE004 **N** !




SEA BLUE



LE005 **N** !



TAN BROWN



LE006 **N** !



WINE

WOVEN

자연스럽게 직조한 고급스러운 우븐 제품은
깊이 있는 엠보싱으로 따뜻하고 아늑한 공간을 연출합니다.

A classy natural woven product creates warm
and cozy space with deep embossing.

WV001

NW105



신패턴
New




비방염 권터번호
Non-Flame retardant



패턴북
Pattern Book




시공유의
Installation Instructions



WV001




IVORY



WV004




COOL GRAY



WV002




LIGHT PINK



WV005




BLUE GRAY



WV003



WARM PINK



WV006



DARK GRAY

FABRIC



ML45 LINEN (HAZELNUT)




ML44 LINEN (ICE COOL)



ML46 LINEN (MINT)



ML47 LINEN (GRAY)



ML48 LINEN (DEEP GRAY)




ML51



ML49 TWEED (LIGHT GRAY)



EL235 CLASSIC (GRAY WOLF)



ML51 TWEED (BLUE JEAN)



EL052 CLASSIC (NATURAL BEIGE)



EL043 STRING WAVE (LIGHT BEIGE)



EL049 STRING WAVE (METAL)



EL051 CLASSIC (PINK BEIGE)



EL044 STRING WAVE (DARK GRAY)

FANCY



EV083 ! TEXTURED METAL (PALE GOLD)




ML20 22P RUSTIC BRONZE



ML22 22P RUSTIC BRONZE

OUTDOOR

OUTDOOR series is for surface finishing materials to decorate building exterior including windows, panels, doors and others. It acquires the RAL quality certification of Germany for the first time as an Asian country, which products are suitable for severe outdoor conditions of UV rays, humidity and others.



US001 ! SAND (WHITE)



US005 ! SAND (CHARCOAL)



US003 ! SAND (DEEP BLUE)



US004 ! SAND (DEEP BROWN)



US002 ! SAND (BLACK)




OUTDOOR



UP001 ! TRAVERTINE (BEIGE)



UP002 ! WOOD (MERSEY OAK)



UP003 ! RUSTIC METAL (DEEP BROWN)



UM002 ! SAND (OLIVE GRAY)



UM001 ! SAND (DARK GRAY)



UP001 / UP002 / US005

Certification & Test Report



ASTM E-84 Test



CE KA5007




CE KA5008



China fire retardant certification



China fire retardant certification



Germany B1 test report

Certification & Test Report



Lloyd marine certification(Fire Approval)



Lloyd marine certification(Module B)



Lloyd marine certification(Module D)



Phthalatesoconstriction content report



Antibacterial test report

Things to be aware of during Interior Film application

1. Before applying

- It is required to examine the areas in advance where problems may occur during installation by checking the type and condition of the adhered materials (MDF, etc.) on which the film is applied.
- In case of MDF, the adhesive strength and flame-proof performance differ based on density, so it is required to use MDF with uniform density.
- The painted surface should be cleaned with alcohol to remove contaminants, and checked for damage by solvent.
- Uneven areas should be polished with sand paper after the putty treatment and residues should be removed with a brush.
- In case of metal plates, the contaminants on the surface should be removed by using alcohol or lacquer thinner. Then uneven areas from welding should be polished with sand paper after the putty treatment and residues should be removed with a brush.
- It is necessary to carry out preliminary inspection work on the abnormal condition (pattern name, appearance condition, etc.) of the product selected by the customer.
- Installation should be carried out after the wooden construction and before painting and wallpaper work.

2. Prior task for Surface

- The section (cut area) of the adhered material (MDF, etc.) where the film will be applied must be polished sufficiently with sand paper.
- In particular, in case of wood materials (MDF, PB, etc.), as the smoothness of the bent and joint part is important, if the surface condition is found to be rough from the preliminary inspection, it must be polished by sandpaper or do putty treatment before installation.

3. Primer Treatment

- For the primer treatment, the cut surface of wood materials (MDF, PB, etc.) among adhered materials has a high primer absorption rate, so that the primer should be applied 2 or 3 times. Multiple applications should be carried out in sequence, after the previously applied primer has completely dried.

4. How to apply

- Please make sure that the cut surface of the film is not visible as much as possible for installation.
- Film installation should be done in a way that the adhered material is not visible as much as possible.
- Since it is likely there would be a color difference between product lots, it is necessary to classify product lots for installation.
- The site temperature should be maintained at 15 - 25°C from 72 hours before installation to 48 hours after installation. If the product is left outside in the winter time, it may cause deterioration of adhesion due to temperature drop.

5. Things to be aware of when applying specific products

SW, EL, LE, PL, WV	- These products have no film layers on the surface but surface treatment only, so please be careful rubbing and bending corners with wool felt or cotton gloves not to damage the printed layer. - Due to the surface treatment layer, the product may slip for overlapping installation. Therefore, it is required to apply the solution of water primer PM-04 and dry it sufficiently before installation.
US, UM, UP	- Outdoor products should be installed by observing a separate specification standard.
HIGH GLOSS	- In order to properly produce the luster effect of the film surface, the installation should be done in a clean environment. - If the installation is being made while foreign matters (dust, dirt, etc.) remain on the adhered materials (MDF, etc.) and the adhesive surface of the film, it may cause scratch or embossing on the film surface. - Due to the high hardness of the product, it is necessary to do finishing work perfectly by applying more force in order to prevent the edges from lifting and produce clean visual effect.
NATURE CRAFT	- It is required to do butt joint installation. There is a risk of peeling of the overlapped area due to embossing and surface treatment layer for the overlapping installation. - The product is made of special multi-layer structure, so if the surface is heated during installation, it may cause layer separation or surface wrinkles and cannot be applied to curved surface. - It is necessary to cut and install considering connection between patterns. It is not able to connect patterns properly if you cut the product according to the print scale on the release paper. - There is no film layer on the surface, so please be careful when rubbing the corners with wool felt cotton gloves, etc. not to damage the printed layer.

6. Others to note

- Film installation must observe the installation guidelines of the specifications.
- In regard to installation method and adhered materials (MDF, etc.), please contact LG Hausys or retail dealers to check the workability of installation in case of applying the product to the different adhered materials to the specifications.
- In case of application on acrylic materials, it may cause air bubbles so please contact and confirm with LG Hausys or retail dealers first before installation.
- For film installation, it is required to use LG Hausys water primer PM-04.